Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	0	request with (delet$3 or eras$3) with encrypted near message and @ad<="20001113"	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/06/07 10:27
L2	8	(delet$3 or eras$3) with encrypted near message and @ad<="20001113"	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/06/07 11:11
L3	17	(delet$3 or eras$3) with encrypted near2 message and @ad<="20001113"	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/06/07 11:11
L4	2	recipient with (delet$3 or eras$3) with encrypted near2 message and @ad<="20001113"	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/06/07 11:12
L5	0	request$3 with (delet$3 or eras$3) with encrypted near2 message and @ad<="20001113"	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/06/07 11:13
L6	416	request$3 with (delet$3 or eras$3) near3 message and @ad<="20001113"	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/06/07 11:13
L7	233	request$3 with (delet$3 or eras$3) adj2 message and @ad<="20001113"	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/06/07 11:14
L8	1	recipient with request$3 with (delet$3 or eras$3) adj2 message and @ad<="20001113"	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/06/07 11:41
L9	1	reply with message with recipient with public adj key and @ad<="20001113"	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/06/07 11:53
L10	0	yahoo with mail with hotmail with secur$3 and @ad<="20001113"	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/06/07 11:53
L11	0	yahoo with hotmail with secur$3 and @ad<="20001113"	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/06/07 11:53
L12	0	yahoo$ with hotmail with secur$3 and @ad<="20001113"	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/06/07 11:54

L13	12	yahoo$ with hotmail and @ad<="20001113"	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/06/07 11:54
S1	0	e$mail with encrypt$5 with external with internal and @ad<="20001113"	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/06/02 13:28
S2	1	e$mail with encrypt$5 with intranet and @ad<="20001113"	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/06/01 17:38
S3	2	"6215878".pn. and @ad<="20001113"	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/06/01 17:39
S4	2	"6038322".pn. and @ad<="20001113"	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/06/01 17:39
S5	2	"6011448".pn. and @ad<="20001113"	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/06/01 17:40
S6	2	"6009173".pn. and @ad<="20001113"	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/06/01 17:41
S7	2	"5870475".pn. and @ad<="20001113"	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/06/01 17:41
S8	2	"5812671".pn. and @ad<="20001113"	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/06/01 17:44
S9	2	"5748735".pn. and @ad<="20001113"	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/06/01 17:46
S10	2	"5509071".pn. and @ad<="20001113"	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/06/01 17:57
S11	92	(electronic adj (message or mail)) with intranet with internet and @ad<="20001113"	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/06/01 17:57

S12	1	(electronic adj (message or mail)) with intranet with internet with member and @ad<="20001113"	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/06/01 17:58
S13	0	(electronic adj (message or mail)) with intranet with internet with group and @ad<="20001113"	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/06/01 17:58
S14	2	(electronic adj (message or mail)) with (internal or intranet) with encrypt$4 and @ad<="20001113"	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/06/01 18:05
S15	98	(message or mail) with (internal or intranet) with encrypt$4 and @ad<="20001113"	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/06/01 18:05
S16	11	(message or mail) with (internal or intranet) with encrypt$4 with (group or member or user) and @ad<="20001113"	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/06/01 18:09
S17	15	(message or mail) with (internal or intranet) with (extranet or external) with network with (secur$4) and @ad<="20001113"	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/06/01 18:12
S18	2	(electronic adj (message or mail)) with (internal or intranet) with encrypt$4 and @ad<="20001113"	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/06/02 13:28
S19	14	message with deliver$3 with key adj encrypt$3 and @ad<="20001113"	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/06/02 13:31
S20	54	message with key adj encrypt$3 adj key and @ad<="20001113"	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/06/02 13:34
S21	118	message with key adj encrypt$3 adj2 key and @ad<="20001113"	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/06/02 13:35
S22	128	380/281.ccls. and (mail or message) and @aD<="20001113"	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/06/02 13:45
S23	10	sender with key adj encrypt$3 adj2 key with message and @ad<="20001113"	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/06/02 17:05

S24	6	sender near3 enter$3 with key with message and @ad<="20001113"	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/06/06 15:14
S25	325	(delet$3 or remov$3) near3 key near3 stor$3 and @ad<="20001113"	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/06/06 15:15
S26	4	(delet$3 or remov$3) near2 encrypt$3 adj2 key near3 stor$3 and @ad<="20001113"	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/06/06 15:16
S27	3	(delet$3 or remov$3) near2 encrypted adj2 key and @ad<="20001113"	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/06/06 15:16
S28	23	(delet$3 or remov$3) near3 key and 380/281.ccls. and @ad<="20001113"	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/06/06 15:20
S29	1	(delet$3 or remov$3) near3 encrypt$3 near session adj key and @ad<="20001113"	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/06/06 15:21
S30	3	(delet$3 or remov$3) with encrypt$3 near session adj key and @ad<="20001113"	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/06/06 15:23
S31	9	(delet$3 or remov$3) with session adj key with encrypt$3 with key and @ad<="20001113"	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/06/06 15:23
S32	7	(US-6009173-$ or US-6851049-$ or US-6847719-$ or US-5552897-$ or US-5410602-$).did. or (WO-200031931-$ or US-20040139314-$).did.	USPAT; DERWENT	OR	ON	2005/06/06 16:36
S33	0	S32 and expir$3 with delet$3	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/06/06 16:37
S34	0	S32 and date with delet$3	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/06/06 16:37
S35	2	S32 and delet$3	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/06/06 16:43

S36	0	S32 and remov$3	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/06/06 16:43
S37	27	delet$3 near3 message with expiration and @ad<="20001113"	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/06/06 17:32
S38	1	S32 and database	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/06/06 17:57
S39	0	recipient with request near3 (eras$3 or delet$3) near3 key and @ad<="20001113"	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/06/06 17:58
S40	0	receiver with request near3 (eras$3 or delet$3) near3 key and @ad<="20001113"	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/06/06 17:58
S41	1	receiver with request with (eras$3 or delet$3) with key and @ad<="20001113"	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/06/06 17:58
S42	19	message with request with (eras$3 or delet$3) with key and @ad<="20001113"	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/06/06 17:59
S43	23	recipient with (eras$3 or delet$3) with key and @ad<="20001113"	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/06/06 18:06
S44	7	message with pass$phrase with encrypt$3 and @ad<="20001113"	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/06/06 18:08